

Oil Pattern Distance	44	Reverse Brush Drop	40	Oil Per Board	50 uL
Forward Oil Total	16.05 mL	Reverse Oil Total	12.95 mL	Volume Oil Total	29 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	6	14	222	0.0	9.9	9.9	11100
2	11L	11R	1	18	19	9.9	12.4	2.5	950
3	12L	12R	2	18	34	12.4	17.5	5.1	1700
4	13L	13R	1	18	15	17.5	20.0	2.5	750
5	14L	14R	1	18	13	20.0	22.5	2.5	650
6	15L	15R	1	18	11	22.5	25.0	2.5	550
7	17L	17R	1	18	7	25.0	27.5	2.5	350
8	2L	2R	0	22	0	27.5	44.0	16.5	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	0	44.0	36.0	-8.0	0
2	15L	15R	1	22	11	36.0	32.9	-3.1	550
3	14L	14R	1	22	13	32.9	29.8	-3.1	650
4	13L	13R	1	18	15	29.8	27.3	-2.5	750
5	12L	12R	2	18	34	27.3	22.2	-5.1	1700
6	11L	11R	2	18	38	22.2	17.1	-5.1	1900
7	2L	2R	4	18	148	17.1	6.9	-10.2	7400
8	2L	2R	0	18	0	6.9	0.0	-6.9	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.4	2	1.09	1.09	2	2.4

