


Oil Pattern Distance	40	Reverse Brush Drop	40	Oil Per Board	50 ul
Forward Oil Total	12.35 mL	Reverse Oil Total	13.9 mL	Volume Oil Total	26.25 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	10	148	0.0	4.2	4.2	7400
2	7L	7R	1	14	27	4.2	6.1	1.9	1350
3	9L	8R	1	14	24	6.1	8.0	1.9	1200
4	11L	10R	1	18	20	8.0	10.5	2.5	1000
5	13L	12R	1	18	16	10.5	13.0	2.5	800
6	15L	14R	1	18	12	13.0	15.5	2.5	600
7	2L	2R	0	18	0	15.5	25.0	9.5	0
8	2L	2R	0	22	0	25.0	32.0	7.0	0
9	2L	2R	0	30	0	32.0	40.0	8.0	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	40.0	32.0	-8.0	0
2	16L	15R	1	22	10	32.0	28.9	-3.1	500
3	14L	13R	1	18	14	28.9	26.4	-2.5	700
4	12L	11R	1	18	18	26.4	23.9	-2.5	900
5	10L	9R	2	14	44	23.9	20.0	-3.9	2200
6	8L	7R	1	14	26	20.0	18.1	-1.9	1300
7	6L	6R	2	14	58	18.1	14.2	-3.9	2900
8	2L	5R	1	14	34	14.2	12.3	-1.9	1700
9	2L	2R	2	14	74	12.3	8.4	-3.9	3700
10	2L	2R	0	10	0	8.4	0.0	-8.4	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.5	1.47	1.06	1.03	1.35	2.56

